

$\Delta(1930) 5/2^-$ $I(J^P) = \frac{3}{2}(\frac{5}{2}^-)$ Status: ***Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014). **$\Delta(1930)$ POLE POSITION****REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1840 to 1960 (\approx 1900) OUR ESTIMATE			
$1848 \pm 9 \pm 19$	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
2001	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1850	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
1890 ± 50	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1882	SHRESTHA	12A	DPWA Multichannel
1883	VRANA	00	DPWA Multichannel

-2×IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
175 to 360 (\approx 270) OUR ESTIMATE			
$321 \pm 17 \pm 7$	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
387	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
180	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
260 ± 60	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
187	SHRESTHA	12A	DPWA Multichannel
250	VRANA	00	DPWA Multichannel

 $\Delta(1930)$ ELASTIC POLE RESIDUE**MODULUS $|r|$**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
8 to 20 (\approx 14) OUR ESTIMATE			
$9 \pm 1 \pm 1$	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
7	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
20	HOEHLER	93	SPED $\pi N \rightarrow \pi N$
18 ± 6	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

PHASE θ

VALUE (°)	DOCUMENT ID	TECN	COMMENT
-10 to -40 (\approx -30) OUR ESTIMATE			
$-37 \pm 3 \pm 7$	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
-12	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
-20 ± 40	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

$\Delta(1930)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
1900 to 2000 (\approx 1950) OUR ESTIMATE			
2233 \pm 53	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
1940 \pm 30	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1901 \pm 15	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
1930 \pm 12	SHRESTHA	12A	DPWA Multichannel
1932 \pm 100	VRANA	00	DPWA Multichannel

 $\Delta(1930)$ BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
220 to 500 (\approx 360) OUR ESTIMATE			
773 \pm 187	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$
320 \pm 60	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
195 \pm 60	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
235 \pm 39	SHRESTHA	12A	DPWA Multichannel
316 \pm 237	VRANA	00	DPWA Multichannel

 $\Delta(1930)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_j/Γ)
Γ_1 $N\pi$	5–15 %
Γ_2 $N\gamma$	0.0–0.01 %
Γ_3 $N\gamma$, helicity=1/2	0.0–0.005 %
Γ_4 $N\gamma$, helicity=3/2	0.0–0.004 %

 $\Delta(1930)$ BRANCHING RATIOS

<u>$\Gamma(N\pi)/\Gamma_{\text{total}}$</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>	<u>Γ_1/Γ</u>
5 to 15 OUR ESTIMATE				
8.1 \pm 1.2	ARNDT	06	DPWA $\pi N \rightarrow \pi N, \eta N$	
14 \pm 4	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$	
4 \pm 3	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$	
• • • We do not use the following data for averages, fits, limits, etc. • • •				
7.9 \pm 0.4	SHRESTHA	12A	DPWA Multichannel	
9 \pm 8	VRANA	00	DPWA Multichannel	

$\Delta(1930)$ PHOTON DECAY AMPLITUDES AT THE POLE **$\Delta(1930) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$**

<u>MODULUS ($\text{GeV}^{-1/2}$)</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
$0.130^{+0.073}_{-0.096}$	-50^{+77}_{-26}	ROENCHEN 14	DPWA

 $\Delta(1930) \rightarrow N\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>MODULUS ($\text{GeV}^{-1/2}$)</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>
$-0.056^{+0.003}_{-0.151}$	168^{+72}_{-76}	ROENCHEN 14	DPWA

 $\Delta(1930)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES **$\Delta(1930) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$**

<u>VALUE ($\text{GeV}^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
-0.007 ± 0.010	ARNDT 96	IPWA	$\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.011 ± 0.003	SHRESTHA 12A	DPWA	Multichannel

 $\Delta(1930) \rightarrow N\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>VALUE ($\text{GeV}^{-1/2}$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.005 ± 0.010	ARNDT 96	IPWA	$\gamma N \rightarrow \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.002 ± 0.002	SHRESTHA 12A	DPWA	Multichannel

 $\Delta(1930)$ FOOTNOTES

¹ Fit to the amplitudes of HOEHLER 79.

 $\Delta(1930)$ REFERENCES

For early references, see *Physics Letters* **111B** 1 (1982).

PDG	14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
ROENCHEN	14	EPJ A50 101	D. Roenchen <i>et al.</i>	
Also		EPJ A51 63 (errat.)	D. Roenchen <i>et al.</i>	
SVARC	14	PR C89 045205	A. Svarc <i>et al.</i>	
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
ARNDT	06	PR C74 045205	R.A. Arndt <i>et al.</i>	(GWU)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
ARNDT	96	PR C53 430	R.A. Arndt, I.I. Strakovsky, R.L. Workman	(VPI)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP