

$\Delta(2150) 1/2^-$  $I(J^P) = \frac{3}{2}(\frac{1}{2}^-)$  Status: \*

OMITTED FROM SUMMARY TABLE

 **$\Delta(2150)$  POLE POSITION****REAL PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
$2140 \pm 80$	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$

**-2×IMAGINARY PART**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
$200 \pm 80$	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$

 **$\Delta(2150)$  ELASTIC POLE RESIDUE****MODULUS  $|r|$** 

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
$7 \pm 2$	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$

**PHASE  $\theta$** 

VALUE (°)	DOCUMENT ID	TECN	COMMENT
$-60 \pm 90$	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$

 **$\Delta(2150)$  BREIT-WIGNER MASS**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
$2150 \pm 100$	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$

 **$\Delta(2150)$  BREIT-WIGNER WIDTH**

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
$200 \pm 100$	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$

 **$\Delta(2150)$  DECAY MODES**

Mode	Fraction ( $\Gamma_i/\Gamma$ )
$\Gamma_1 \quad N\pi$	6–10 %

 **$\Delta(2150)$  BRANCHING RATIOS**

$\Gamma(N\pi)/\Gamma_{\text{total}}$	DOCUMENT ID	TECN	COMMENT	$\Gamma_1/\Gamma$
$8 \pm 2$	CUTKOSKY 80	IPWA	$\pi N \rightarrow \pi N$	

## $\Delta(2150)$ REFERENCES

CUTKOSKY	80	Toronto Conf.	19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also		PR D20	2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL)

---